

Package: `lightparser` (via `r-universe`)

July 5, 2024

Title From 'Rmarkdown' and 'Quarto' Files to Tibble and Back

Version 0.1.0.9000

Description Split your 'rmarkdown' or 'quarto' files by sections into a tibble: titles, text, chunks. Rebuild the file from the tibble.

License MIT + file LICENSE

URL <https://github.com/ThinkR-open/lightparser>,
<https://thinkr-open.github.io/lightparser/>

BugReports <https://github.com/ThinkR-open/lightparser/issues>

Imports knitr (>= 1.35), rlang, tibble, utils, yaml

Suggests callr, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/fusen/version 0.6.0

Config/testthat/edition 3

Encoding UTF-8

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.1

Repository <https://thinkr-open.r-universe.dev>

RemoteUrl <https://github.com/ThinkR-open/lightparser>

RemoteRef HEAD

RemoteSha 3fc5672cff5b17adab4f7303efd0849d9216175

Contents

<code>combine_tbl_to_file</code>	2
<code>split_to_tbl</code>	2

Index	4
--------------	----------

combine_tbl_to_file *Combine a parsed tbl Rmd / Qmd file into a new file*

Description

Combine a parsed tbl Rmd / Qmd file into a new file

Usage

```
combine_tbl_to_file(parsed_tbl, output_file)
```

Arguments

parsed_tbl A tibble with columns as issued by split_to_tbl()
output_file A Rmd / Qmd file path to write the new content

Value

The content of a Rmd / Qmd file as character and the resulting file if output_file is provided.

Examples

```
file <- system.file("dev-template-parsing.Rmd",  
  package = "lightparser"  
)  
# split first  
tbl_rmd <- split_to_tbl(file)  
# apply your filters  
tbl_rmd_filtered <- tbl_rmd[-5, ]  
# combine then  
combine_tbl_to_file(tbl_rmd_filtered, tempfile(fileext = ".Rmd"))
```

split_to_tbl *Group lines of a Rmd or Qmd file by types in a tibble*

Description

Group lines of a Rmd or Qmd file by types in a tibble

Usage

```
split_to_tbl(file)
```

Arguments

file A Rmd or Qmd file path

Value

A tibble with 6 columns:

- `type`: type of the part (yaml, heading, inline, block)
- `label`: label of the part (if any)
- `params`: parameters of the part (if any)
- `text`: text of the part (if any)
- `code`: code of the part (if any)
- `heading`: heading of the part (if any)
- `heading_level`: level of the heading (if any)
- `section`: section of the Rmd file, according to headings (if any)

Examples

```
file <- system.file(  
  "dev-template-parsing.Rmd",  
  package = "lightparser"  
)  
split_to_tbl(file)
```

Index

`combine_tbl_to_file`, [2](#)

`split_to_tbl`, [2](#)